

150 Tunic

Burda sizes 44, 46, 48, 50, 52

Back length approx. 95 cm (37 1/2 ins)

Materials

Crêpe jersey in beige,
width: 140 cm (55 ins)
length: 1.10 – 1.10 – 1.10 – 1.15 – 1.15 m
(1 1/4 – 1 1/4 – 1 1/4 – 1 3/8 – 1 3/8 yds).

Black jersey,
width: 140 cm (55 ins)
length: 1.20 m (1 3/8 yds).

Interfacing.

Vilene Bias Tape/ stay tape.

Recommended fabrics: Softly draping jersey fabrics.




Preparations

Print the pattern out on letter or A4 sized paper. It is **very** important to not scale or fit any of the pages, you must print the document in **actual size**. Your pattern will print on multiple pages, which you will then tile together. Arrange the sheets on a large, hard and flat surface matching up the numbers and letters (i.e. 6A to 6A). Cut or fold one of the sides and match the edge to it's corresponding side. Then, tape down in place so paper is secure.

Trace the pattern pieces from the pattern sheet following the lines and markings for your size. Trace the pocket from piece 21 as a separate pattern piece.

burda style magazine patterns do not have seam allowance included.

Seam and hem allowance to be added:
Seams and edges 1.5 cm (5/8 in), upper pocket edge 3 cm (1 1/4 ins), hem and slit edges 3 cm (1 1/4 ins).



Cut from a double layer of fabric, right side facing in.

Cutting Out

Beige fabric:

- 21 front 2x
- upper left pocket 1x
- 23 collar, on a fold 2x

Draft the following piece NOT included in the pattern:

- a) 2 facing strips for front edges, 21 – 22 – 23 – 24 – 25 cm (8 3/8 – 8 3/4 – 9 1/8 – 9 1/2 – 10 ins) long, 5 cm (2 ins) wide (incl. allowances),
- b) 2 sleeve bands, 31 – 32 – 34 – 36 – 38 cm (12 1/4 – 12 3/4 – 13 1/2 – 14 1/4 – 15 ins) long, 14 cm (5 1/2 ins) wide, finished width 7 cm (23/4 ins).

Black fabric:

- 22 back, on a fold 1x

Interfacing: See shaded area on pattern layout. Iron interfacing to wrong side of outer collar piece. Iron Vilene Bias Tape/ stay tape to wrong side of upper back seam edges (seam number 1).

Sewing

Note: Stitch seams on stretch fabrics with a special stretch stitch or at a narrow zigzag setting.

Fold each facing strip in half lengthwise, wrong side facing in, and press. Stitch each folded facing strip to front slit edge, from upper edge to slit mark, so that fold edge of strip lies on garment piece, 1.5 cm (5/8 in) past seam line. At bottom of slit, fold facing strip up and pin. Stitch centre front seam. Remove pins. Turn facing strip to inside and press slit edges. Topstitch 1.2 cm (1/2 in) from slit edges and stitch across bottom of slit.

Lay front right sides together with back. Fold upper edge of back toward front. Stitch upper seam edges of front and back together, right sides facing (seam number 1).

Stitch collar pieces together along outer edges, right sides facing, beginning and ending exactly at seam line on attachment edge. Turn collar right side out and press. Stitch outer collar piece to neck edge of tunic. Turn edge of inside collar piece under and baste along attachment seam. Topstitch collar close to attachment seam.

Press self-facing on upper pocket edge to inside. Press allowances on side and lower edges to inside. Edgestitch pocket in place on left front.

Stitch forwarded side seams (seam number 3), leaving slits open. Press seam allowances toward back, tapering allowances toward slit.

