

06/2011 Girl shorts

By: burda style magazine

<http://www.burdastyle.com/projects/062011-girl-shorts>



Girl shorts burda style magazine patterns FAQ

Materials

Linen

Step 1 — Preparation


Trace pieces from the pattern sheet. Trace the pocket piece from piece 21 just to abutting line.

The stitching line at the front zip slit is marked for size 104. For sizes 110 — 128, mark this line the same distance from centre front as for size 104, noting length of slit.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), hem 3 cm (1 1/4 ins).

Step 2 — Cutting out



21 — shorts front 2x

22 — side hip yoke with

integrated pocket piece 2x

pocket piece 2x

23 — shorts back 2x

24 — back yoke 2x

a) left underlap piece, 9 — 9 — 9 — 11 — 11 cm (3 1/2 — 3 1/2 — 3 1/2 — 4 3/8 — 4 3/8 ins) long, 6 cm (2 1/2 ins) wide, finished width 3 cm (1 1/4 ins),

b) right waistband, 29 — 29.5 — 30 — 31 — 31.5 cm (11 1/2 — 11 3/4 — 12 — 12 1/4

— 12 1/2 ins) long, left waistband with 3.5 cm (1 1/2 in) underlap, 32.5 — 33 — 33.5 — 34.5 — 35 cm (12 7/8 — 13 — 13 1/4 — 13 5/8 — 13 3/4 ins) long, each 6 cm (2 1/2 ins) wide, finished width 3 cm (1 1/4 ins),

c) 4 belt carriers, a total of 24 cm (9 1/2 ins) long, 4 cm (1 5/8 ins) wide (incl. allowances),

d) 4 tab pieces, 11 cm (4 3/8 ins) long, 2.5 cm (1 in) wide.

Interfacing: See pattern layout.

Step 3 — Hip yoke pockets

Stitch pocket pieces right sides together with pocket opening edges of shorts fronts. Trim allowances. Turn pocket pieces to inside. Topstitch close to pocket opening edges and again 7 mm (1/4 in) from these edges. Pin pocket opening edges to side hip yokes, at abutting lines. Stitch pocket edges together. Baste pockets to wrong side of shorts fronts.

Step 4 — Yokes

Stitch back yokes to shorts backs and topstitch

Step 5 — Side seams

Stitch side seams. Press seam allowances toward back.

Step 6 — Tabs

Lay each interfaced tab piece on tab piece with no interfacing right sides together. Trim one end of each tab to a point. Stitch edges together, leaving straight end open. Turn tabs right side out. Topstitch close to edges. Work buttonhole for small button in pointed end of tab. Lay tabs inside shorts, over side seams, 8 cm (3 1/4 ins) above hem line, with pointed ends pointing up. Stitch straight ends in place. Turn tabs down. Stitch again in a square and crisscross within the square. Sew small buttons to outside of shorts, over side seams, 1 cm and 3 cm (3/8 in and 1 1/4 ins) above tab stitching.

Step 7 — Leg seams

Stitch inside leg seams. Stitch centre front seam from slit mark to inside leg seam.

Step 8 — Zip opening

Press self-facings on slit edges to inside — along centre front on right and 5 mm (3/16 in) before centre front on left. Stitch zip under left edge of slit (underlap), stitching close to teeth of zip. Pin slit closed, matching centres. Stitch free zip tape to right facing, not catching trouser piece. Baste facing in place. Topstitch slit as marked, from upper edge to 3 cm (1 1/4 ins) before end. Fold underlap piece lengthwise, right side facing in. Stitch across bottom end. Turn right side out. Lay underlap under left slit edge and pin to facing. Stitch facing to underlap, close to zip joining seam. Lay slit closed again and topstitch to the end, catching underlap

. Topstitch opening as marked and again 5 mm (3/16 in) from first line of stitching.

Step 9 — Belt carriers

Fold strip for belt carriers lengthwise, right side facing in. Stitch 1 cm (3/8 in) from fold edge. Turn right side out. Topstitch close to edge. Cut into 4 pieces. Baste belt carriers to upper edge of shorts, next to pocket openings in front and centred on yokes in back.

Step 10 — Waistband and centre back

Stitch right and left waistband to upper edge of trousers, stitching waistband underlap to slit underlap. Press allowances of joining seams onto waistband pieces. Stitch centre back seam on trousers and waistband. Press seam open from upper edge to beginning of curve. Do not press allowances flat along curve. Press allowance on other long edge of waistband to inside. Fold waistband lengthwise, right side facing in. Stitch across ends. Turn waistband right side out and baste inside edge in place. Topstitch close to all edges. Work a buttonhole in right end of waistband.

Step 11 — Belt carriers

Stitch across belt carriers 7 mm (1/4 in) below waistband joining seam. Turn belt carriers up, turn ends in, and stitch to upper edge of waistband.

Step 12 — Hem

Press hems under, turn in to 1.5 cm (5/8 in), and stitch. Turn lower edges up. Button tabs to side seams.

BurdaStyle

06/2011 Girl shorts