


# 10/2010 Wide-legged trousers

By: burda style magazine

<http://www.burdastyle.com/projects/102010-wide-legged-trousers>

---



Wide-legged trousers burda style magazine patterns FAQ

## Materials

Wool crÃªpe

---

## Step 1 — Preparation

Trace the pattern pieces from the pattern sheet. Lengthen pieces 21 and 23 as indicated. Trace the pocket piece from piece 21 as a separate pattern piece.


The stitching line at the zip opening is marked for size 36. For sizes 38 — 44, mark the stitching line the same distance from centre front as for size 36, noting length of opening.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), hem 4 cm (15/8 ins).

---

## Step 2 — Cutting Out



21— front trouser piece 2x

22— pocket piece 2x

23— side hip yoke with

24— integrated pocket piece 2x

25— back trouser piece 2x

a) left underlap piece, 17— 17— 19— 19— 19 cm (7— 7— 7½— 7½— 7½ ins) long, 5 cm (2 ins) wide, finished width 2.5 cm (1 in),

b) right waistband, 35— 37— 39— 41— 43 cm (13¾— 14½— 15½— 16¼— 17 ins) long, left waistband with 3 cm (1¼ in) underlap, 38— 40— 42— 44— 46 cm (15— 15¾— 16½— 17¼— 18½ ins) long, each 7 cm (3 ins) wide, finished width 3.5 cm (1½ ins).

Interfacing: See pattern layout.

---

## Step 3 — Stitch darts. Press toward centre

Stitch darts. Press toward centre.

---

## Step 4 — Front Trouser Pieces

Fold front trouser pieces lengthwise, wrong side facing in, and press creases.

---

## Step 5 — Hip yoke pockets

Stitch pocket pieces right sides together with pocket opening edges of front trouser pieces. Lay pocket pieces up and stitch to seam allowances, close to seam. Turn pocket pieces to inside. Pin pocket opening edges to side hip yokes, at abutting lines. Stitch pocket pieces together on inside. Baste pocket pieces to wrong side of front trouser pieces, first trimming away allowance of right pocket piece along centre front.

---

## Step 6 — Stitch side seams and inside leg seams

Stitch side seams and inside leg seams. Stitch front centre seam from slit mark to inside leg seam.

---

## Step 7 — Zip opening

Press self-facings to inside. Stitch along centre front on the right and 5 mm (3/16 in) before centre front on the left. Stitch zip under left edge of slit (underlap), close to teeth of zip. Pin slit closed, matching centre fronts. Stitch loose zip tape to right facing, not catching trouser piece. Baste facing in place. Topstitch slit from upper edge to 3 cm (1 1/4 ins) before end, as marked. Fold underlap piece lengthwise, right side facing in. Stitch across bottom end. Turn right side out. Lay underlap under left edge of opening and pin to facing. Stitch facing to underlap, close to zip joining seam. Lay slit closed again and topstitch to the end, catching underlap.

---

## Step 8 — Waistband and centre back seam

Stitch right and left waistband to upper edges of trousers, stitching waistband underlap to slit underlap. Press seam allowances of joining seams onto waistband pieces. Stitch centre back seam on trousers and waistband. Press seam allowances open from upper edge to beginning of curve. Do not press seam allowances flat along curve. Fold waistband lengthwise, right side facing in. At ends of waistband, turn allowance on inside edge of waistband up. Stitch across ends of waistband. Turn right side out. Turn inside edge of waistband under and baste ends in place, about 4 cm (1 5/8 ins) long, then lay flat over joining seam. Working from outer side, stitch along joining seam, thereby catching inner edge. Work a buttonhole in right end of waistband.

---

## Step 9 — Hem

Press hem allowances to inside. Sew hem in place by hand.

---

**BurdaStyle**

10/2010 Wide-legged trousers