

# 6/2010 Girl's dress with hem frill

By: burda style magazine

<http://www.burdastyle.com/projects/62010-girls-dress-with-hem-frill>

---



Girl's dress with hem frill burda style magazine patterns FAQ

## Materials

Batiste

---

## Step 1 — Preparation

Trace the pattern pieces from the pattern sheet.

The buttonholes on piece 2 are marked for size 110. For sizes 116 â' 134, mark the top buttonhole the same distance from upper edge as for size 110. The bottom buttonhole is in the same place for all sizes. Space the other buttonholes evenly in between.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), sleeve bands 1 cm (3/8 in).

---

## Step 2 — Cutting Out



1 front 2x

2 front band 2x

3 back, on a fold 1x

4 collar, on a fold 2x

5 sleeve 2x

a) 2 skirt panels, each 60 â' 60 â' 60 â' 65 â' 65 cm (23 3/4 â' 23 3/4 â' 23 3/4 â' 25 3/4 â' 25 3/4 ins) wide, 22 â' 23 â' 24 â' 26 â' 27 cm (8 3/4 â' 9 1/8 â' 9 1/2 â' 10 â' 10 3/4 ins) long,

b) 2 hem frills, 100 â' 100 â' 100 â' 110 â' 110 cm (39 1/2 â' 39 1/2 â' 39 1/2 â' 43 1/2 â' 43 1/2 ins) wide, 12 â' 13 â' 14 â' 14 â' 15 cm (4 3/4 â' 5 1/4 â' 5 1/2 â' 5 1/2 â' 6 ins) long,

c) 2 sleeve bands, 22 â' 22.5 â' 23 â' 23.5 â' 24.5 cm (8 3/4 â' 9 â' 9 1/8 â' 9 1/4 â' 9 3/4 ins) long, 2 cm (3/4 in) wide, finished width 1 cm (3/8 in),

d) bias strip for neck edge, 36 â' 36 â' 37 â' 37 â' 38 cm (14 1/4 â' 14 1/4 â' 14 1/2 â' 14 1/2 â' 15 ins) long, 4 cm (1 5/8 ins) wide (incl. allowance),

e) tie belt, 125 cm (50 ins) long, 8 cm (3 1/4 ins) wide, finished width 4 cm (1 5/8 ins).

Interfacing: See pattern layout. Iron interfacing onto undercollar piece.

---

## Step 3 — Front bands and lace trim

Stitch front bands to front pieces. Press seam allowances of joining seams and of other long edges of bands onto bands. Stitch lace trim to fronts, along band joining seams, so that scalloped edge of trim points to the side.

---

## Step 4 — Stitch shoulder seams

Stitch shoulder seams. Neaten seam allowances together and press onto back.

---

## Step 5 — Collar

Stitch collar pieces right sides together along outer edges. Trim seam allowances. Turn collar right side out and press. Stitch lace trim to outer edge of collar so that scalloped edge of trim extends. Baste edges of collar together to neck edge.

---

## Step 6 — Front bands, bias strip

Fold front bands on fold line, right side facing in. Pin edges together at the top. Fold bias strip for neck edge lengthwise and press, right side facing out. Pin doubled bias strip to neck edge, over collar so that fold edge of strip lies on garment piece, 1 cm (3/8 in) past seam line, and ends of strip lie on front bands. Stitch along upper edges of bands and neck edge. Trim seam allowances. Lay bias strip at neck edge to inside and turn front bands right side out. Baste inside edges in place. Topstitch bands close to joining seam and front edge. Topstitch neck edge, 7 mm (1/4 in) from collar joining seam, beginning and ending stitching at band joining seams.

---

## Step 7 — Buttonholes

Work buttonholes in right front band. Lay right band on left band, matching centres. Baste bottom ends of bands together.

---

## Step 8 — Stitch right side seams on dress bodice and skirt

Stitch right side seams on dress bodice and skirt. Gather upper edge of skirt. Stitch to lower edge of bodice. Press seam allowances up.

---

## Step 9 — Zipper

For the zip opening, measure 10 1/2" 10 1/2" 9 1/2" 8 1/2" 7 cm (4 1/2" 4 1/2" 3 1/2" 3 1/4" 3 ins) down from skirt joining seam and mark end of opening. Sew invisible zip to left opening edges. Leave top ends of zip tapes unattached. Teeth of zip begin at slit mark. Stitch left side seam above and below zip.

---

## Step 10 — Sleeves

Stitch sleeve seams. Fold pleats in lower edges of sleeves and baste. Stitch ends of each sleeve band together. Stitch sleeve bands to lower edges of sleeves. Trim seam allowances to 7 mm (1/4 in) wide and press onto sleeve bands. Press allowances on opposite edges of sleeve bands to inside. Fold sleeve bands half to inside. Baste inside edges in place. Topstitch sleeve bands close to joining seams.

---

## Step 11 — Sleeve caps

Set in sleeves, easing sleeve caps.

---

## Step 12 — Hem frill

Stitch side seams of hem frill. Press allowance on lower edge of frill to inside, turn in, and stitch. Gather upper edge of frill and stitch to lower edge of skirt. Press seam allowances up. Stitch lace trim to skirt, over frill joining seam, turning in ends of trim.

---

## Step 13 — Tie belt

Fold tie belt lengthwise, right side facing in. Trim ends at an angle. Stitch edges stitch together, leaving a section of seam open for turning. Turn belt right side out. Sew seam opening closed.

---

## Step 14 — Thread loops

Work thread loops, about 5 cm (2 ins) long, over skirt joining seam at side seam on the right and at zip opening on the left. For each loop, stretch 3–4 threads then cover them with closely spaced buttonhole stitches.

---

**BurdaStyle**

6/2010 Girl's dress with hem frill