

Girl's Bermudas 03/2012

By: burda style magazine

<http://www.burdastyle.com/projects/girls-bermudas-032012>




Bermuda shorts for girls downloadable sewing pattern. burda style magazine patterns FAQ

Materials

Raw silk, width: 135 cm (53 ins) Length: 0.70 m (7/8 yd). Vilene/Pellon G 785. 1 zip, 8 8 10 10 10 cm (3 3 4 4 4 ins) long. 2 large sew-on snap fasteners.

Step 1 — Preparations



Paper cut for ANSI A (German DIN A4) prints:

This pattern is printed on 8.5 × 11 sheets of plain paper. Do not scale or center pages before printing. Wait until all sheets are printed out before beginning to tape them together. **Do not cut out pattern pieces yet**— Arrange the sheets on a large, hard, flat surface so that they fit together, matching up like numbers and letters (i.e. 6A to 6A). To tape pattern together, fold under the margin of one piece (6A) and tape right against the line of it's matching number/letter (6A).

Trace the pattern pieces from the pattern sheet following the lines and markings for the correct size.


The stitching line at the zip slit is marked for size 98. For sizes 104-122, mark the stitching line the same distance from centre front as for size 98, noting length of slit.

burda style magazine pattern do not have seam allowance included.


Seam and hem allowances to be added: Seams and edges 1.5 cm (5/8 in), lower pocket edge 1 cm (3/8 in), hem 3 cm (1 1/4 ins).

Step 2 — Cutting out

Pattern Pieces 21 to 23



Main fabric, width 135 cm. Cut on a double layer of fabric




- 21 front shorts piece 2x
- 22 back shorts piece 2x
- 23 front pocket 2x

Also draft and cut the following pieces, not included in the pattern sheet:

- a) left underlap piece,
Size 98 – 104: 9 cm (3 1/2 ins.) long and 4 cm (1 1/2 ins) wide, finished width 2 cm (3/4 in),
Size 110 – 122: 11 cm (4 3/8 ins), 4 cm (1 1/2 ins) wide, finished width 2 cm (3/4 in),
- b) waistband, with 2.5 cm (1 in) underlap, 60.5 61 61.5 62 63.5 cm (23 7/8, 24, 24 1/4, 24 1/2, 25 ins) long,
12 cm (4 3/4 ins) wide, finished width 6 cm (2 3/8 ins),
- c) 5 belt loops, 8 cm (3 1/4 ins) long, 4 cm (1 1/2 ins) wide (incl. allowances),
- d) 2 welt strips (back pockets), 13 cm (5 1/4 ins) long, 5 cm (2 ins) wide (incl. allowances),
- e) 4 pocket pieces (back pockets), 13 cm (5 1/4 ins) wide, 10 cm (4 ins) long (incl. allowances),
- f) tie belt, 115 cm (45 1/4 ins) long and 6 cm (2 3/8 ins) wide (incl. allowances).

Interfacing: Iron strips of interfacing, approx. 4 cm (1 1/2 ins) wide, to wrong side of shorts backs, over the pocket markings.

Step 3 — Sewing



Stitch back darts and press toward centre.

Construct single welt pockets on back trouser pieces: Mark an abutting line for each welt, 1.5 cm (5/8 in) from welt joining line (= finished width of welt). Fold welt strips length wise, right side facing out, and press. Baste folded welt strips over each welt joining line so that welt meets abutting line and open long edges lie between pocket lines. Stitch welts in place along welt joining lines. Stitch one pocket piece each along pocket piece joining lines. Slash between lines of stitching and clip diagonally toward each last stitch, not cutting into welts or pocket pieces. Turn welts into pocket opening and pull pocket pieces to inside. Stitch remaining pocket pieces to seam allowances of welt joining seams. Fold small triangles at pocket opening ends to inside and stitch to welts and pocket pieces, from seam end to seam end. Trim pocket pieces even and stitch together.

On each front pocket, press allowance on slanted pocket opening edge to inside, turn in, and stitch 7 mm (1/4 in) from edge. Press allowances on front and lower pocket edges to wrong side. Gather upper edge of each pocket to 4.5 cm (1 7/8 ins). Pin pockets to shorts fronts, at abutting lines. Edgestitch front and lower edges

in place and baste side and upper edges in place.

Stitch side seams. Press allowances onto back. Stitch inside leg seams. Press seams open. Stitch centre front seam from slit mark to inside leg seam.

Zip slit: Press self-facings on zip slit edges to inside along centre front on the right edge and 5 mm (3/16 in) before centre front on left edge. Stitch zip under left slit edge (underlap), stitching close to teeth of zip. Pin slit closed, matching centre fronts. Stitch loose zip tape to right facing, not catching trouser piece. Baste facing in place. Topstitch slit, from upper edge to 2 cm (3/4 in) before end, as marked. Fold underlap piece lengthwise and stitch across bottom end. Turn right side out. Lay underlap under left slit edge and pin edge to underlap. Stitch facing to underlap, close to zip joining seam. Lay the slit closed again and topstitch to the end, catching underlap.

Stitch centre back seam. Press seam allowances open from upper edge to beginning of crotch curve.

Fold belt loops in half length wise and press, wrong side facing in. Unfold belt loops again. Now turn each long edge in to the pressed fold and press again. Fold lengthwise and edgestitch fold edges together. Baste belt loops to upper edge of shorts, in front of pockets in front and close to side seams and over centre back seam in back.

Stitch waistband to upper edge of shorts, stitching waistband underlap to underlap piece. Press allowances onto waistband. Fold waistband in half lengthwise, right side facing in. At waistband ends, turn allowance of inside edge up. Stitch across ends of waistband. Turn waistband right side out. Turn inside waistband edge under and baste, approx. 5 cm (2 ins) long, then lay remaining edge flat over joining seam. From right side, stitch along line of waistband joining seam, catching inside edge. Sew snaps to ends of waistband.

Turn belt loops up. Turn in ends and stitch (length = 5 cm/ 2 ins).

Press hems under and sew in place by hand.

On belt, press allowances on long edges to inside, turn raw edge under, and stitch 7 mm (1/4 in) from edge. Press ends under 5 mm (3/16 in) wide, then fold toward one long edge, at an angle, wrong side facing in, and sew in place by hand.

BurdaStyle

Girl's Bermudas 03/2012