

10/2010 Tunic

By: burda style magazine

<http://www.burdastyle.com/projects/102010-tunic>



Tunic burda style magazine patterns FAQ

Materials

stretch jersey

Step 1 — Preparation

Trace the pattern pieces from the pattern sheet.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), hem 3 cm (1 1/4 ins).

Cutting out:


21front, on a fold 1x

22back, on a fold 1x

a) binding strip, 77 â— 78 â— 80 â— 82 â— 83 cm (30 1/2 â— 30 3/4 â— 31 1/2 â— 32 1/2 â— 32 3/4 ins) long, 3 cm (1 1/4 ins) wide (incl. Â—allowance).

Vilene Bias Tape (stay tape): Iron onto shoulder edges of fronts and onto neck edge.

Step 2 — Cutting out



Stitch shoulder seams. Trim seam allowances to 7 mm (1/4 in) wide, Â—neaten together, and press onto back.

Note: Stitch seams on stretch fabrics with a special stretch stitch or at a narrow zigzag setting. Stitch hems with a twin machine needle to keep hem edge elastic.

Step 3 — Neck edge

Fold binding strip in half lengthwise, wrong side facing in, and press. Pin folded binding strip to right half of neck edge, from centre front, so that fold edge lies on garment piece, 3 mm (1/8 in) past marked seam line. Then pin binding strip to left half of neck edge, up to 3 cm (1 1/4 ins) before centre front. Stitch binding from centre front, leaving left end loose. Clip seam allowance of front at centre front. Press binding toward neck opening and press seam allowances onto front and back. Overlap right end of binding over left end and pin. Then at end of neck opening, lay left front half on right front half, right sides facing, and \hat{A} -stitch remainder of binding joining seam, up to centre front. Unfold front again. Topstitch neck edge close to binding joining \hat{A} -seam.

Step 4 — Side seams

Stitch side seams below marking at seam number 2. Press seam allowances open. Press allowance on edges of armholes to inside and stitch 1 cm (3/8 in) from fold edge.

Step 5 — Hem allowance

Press hem allowance to inside. Stitch hem from right side, 2 cm (3/4 in) from edge, using the twin needle.

Step 6 — Belt

For the fastening, remove the rings and half-spheres from one end of the ribbon, 2.5 cm (1 in) long, and from the other end, 4 cm (15/8 ins) long. Turn in ends of ribbon 2.5 cm (1 in) wide and sew in place. Sew a top half of a snap to wrong side of one end of ribbon and sew bottom half of snap to other end. Wrap ribbon around the waist several times and fasten with the snap.

BurdaStyle

10/2010 Tunic