

10/2010 Lambskin Vest

By: burda style magazine

<http://www.burdastyle.com/projects/102010-lambskin-vest>



Lambskin Vest burda style magazine patterns FAQ

Materials

Lambskin (top side leather, underside wool)

Step 1 — Preparation


Trace the pattern pieces from the pattern sheet. Lengthen piece 23 as indicated and cut apart on the marked seam line.

Seam and hem allowances:

1 cm (3/8 in) seam allowance on the following edges: section seam edges of side fronts, centre seam edge of left integrated collar piece, neck edge, shoulder and side seams of upper back, upper edge, and side seam edges of lower back. Cut all other edges without allowances.

Tip: Mark width of seam allowance on the leather side with tailor's chalk, magic chalk or vanishing marker. Test first on a scrap of leather.

Step 2 — Cutting Out



Lambskin:

21centre front, with collar 2x

22side front 2x

23back, on a fold, cut apart each 1x

Taffeta: 2 tie bands, each 135 cm (53 1/4 ins) long, 2 cm (3/4 in) wide, \hat{A} -finished width 1 cm (3/8 in).

Step 3 — Single-lapped seams

The wool side faces down. Lay edge without seam allowance on allowance of other edge and edgestitch in place. Push the wool fibres back away from the seam.

Step 4 — Stitch upper back piece to lower back piece. Stitch shoulder seams

Stitch upper back piece to lower back piece. Stitch shoulder seams.

Step 5 — Fronts, collar pieces

Stitch centre back seam of integrated collar pieces. Stitch centre fronts to side fronts, as far as marking, then stitch joining edge of collar to back neck edge. Leave opening for tie band in right section seam. Stitch side seams.

BurdaStyle

10/2010 Lambskin Vest