

# burda style magazine 03/2010 Skinny, Ankle-cut Trousers

By: burda style magazine

<http://www.burdastyle.com/projects/burda-style-magazine-032010-s>

---


Skinny, Ankle-cut Trousers burda style magazine patterns FAQ

## Materials

Cotton gabardine with crosswise stretch

---

## Step 1 — Preparation



Trace the pattern pieces from the pattern sheet. Glue pieces 1 and 1a and 2 and 2a together on the joining lines.


The stitching line at the zip opening is marked for size 34. For sizes 36 — 44, mark the stitching line the same distance from centre front as for size 34. The stitching line at the pocket opening on piece 1 is marked for size 34. Mark the stitching line for sizes 36 — 44 at the same width.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in). Turn-up and hem allowance are already included on the pattern.

---

## Step 2 — Cutting Out



Cotton gabardine:

1 front trouser piece 2x

2 back trouser piece 2x

3 pocket piece 4x

4 left underlap piece 2x

5 front facing 2x

6 back facing,, on a fold 1x

Interfacing: See pattern layout. Iron interfacing onto one underlap piece.

---

## Step 3 — Darts

Stitch darts. Press toward centre.

---

## Step 4 — Side Seams

Stitch side seams, leaving openings for pockets.

---

## Step 5 — Inseam Pockets

Pin pocket pieces right sides together with seam allowances of pocket opening edges, on inside, and stitch directly along marked seam lines. Stitch pocket pieces close to seam above and below pocket openings. Press seam allowances and pocket pieces open. Topstitch front pocket opening edges. Press back pocket piece forward. Stitch pocket pieces together. Baste upper edges of pocket pieces in place.

---

## Step 6 — Seams

Stitch inside leg seams. Stitch side seams of facing. Stitch centre front seam below slit mark and go on to stitch centre back seam. In back, press allowances of centre seam open to beginning of curve. Do not press seam allowances flat along curve.

---

## Step 7 — Zipper

Zip opening and upper edge of skirt: Press attached facings at opening edges to inside. Stitch on the right along centre front and stitch on the left 5 mm (3/16 in) before centre front. Baste zip under left edge of opening (underlap), close to teeth of zip. Stitch both pieces for underlap right sides together, leaving straight edge open. Trim seam allowances. Turn underlap right side out and press. Work buttonhole. Lay underlap under left edge of opening and pin. Topstitch close to left edge of opening. Pin opening closed, matching centres. Stitch free zip tape to right facing, not catching skirt panel. Place skirt lining over skirt with right sides facing. Turn lining at right edge of opening back, 3 cm (1 1/4 ins) before edge. Trim seam allowance to 1 cm (3/8 in) wide, up to 1 cm (3/8 in) above end of opening, then trim horizontally to edge of opening. Lay right facing with zip to outside and pin to upper edge of skirt. Stitch along upper edge of skirt. Turn facing at opening edge to inside and baste. Topstitch right edge of opening to 3 cm (1 1/4 ins) before end, as marked. Lay opening closed and topstitch to the end, catching underlap.

Sew inside edge of facing to seams. Sew inside button to inside of right facing to match buttonhole.

---

## Step 8 — Turn-Ups

Press trouser legs to inside on turn-up fold line and machine stitch or sew by hand. Fold turn-ups up to abutting line and press. Sew turn-ups to the seams with a few stitches, by hand.

---

**BurdaStyle**

burda style magazine 03/2010 Skinny, Ankle-cut Trousers