

04/2010 Wide Legged Pants

By: burda style magazine


<http://www.burdastyle.com/projects/042010-wide-legged-pants>

Wide Legged Pants burda style magazine patterns FAQ

Materials

crosswise stretch gabardine

Step 1 — Preparation



119 36-40

Trace the pattern pieces from the pattern sheet. Lengthen pieces 1 and 3 as indicated. Mark fold line for turn-up 9 cm (3 1/2 ins) from hem line. Note different lines on front waist-band piece for right and left front edges. Trace pocket piece from -piece 1 as a separate pattern -piece.

The stitching line at the front fly opening is marked for size 36. For sizes 38 — 44, remark the stitching lines the -same distance from centre front as for size 36, noting length of opening.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in). Turn-up and hem allowance are already included on the pattern pieces.

Step 2 — Cutting out



Gabardine:

1 front trouser piece 2x

2 side hip yoke with

integrated pocket piece 2x

3 back trouser piece 2x

5 front waistband 4x

6 back waistband 4x

a) left underlap piece, 17 — 17 — 17 — 19 — 19 cm (6 3/4 — 6 3/4 — 6 3/4 — 7 1/2 — 7 1/2 ins) long, 6 cm (2 1/2 ins) wide, finished width 3 cm (1 1/4 ins).

Lining fabric:

1 pocket piece 2x

Interfacing: Iron onto the waistband -pieces.

Step 3 — Stretch seam edges

Stretch inside leg seam edges of back trouser pieces above marking. Lay back trouser pieces right sides facing. Stretch inside leg edges above marking by steam-pressing or pressing under a damp cloth until they match corresponding edges on front trouser pieces.

Step 4 — Darts

Stitch darts and press to centre.

Step 5 — Hip Yoke Pockets

Stitch pocketpieces right sides together with pocket opening edges of front trouser pieces. Turn pocket pieces to inside. Pin pocket opening edges to side hip yokes at placement lines. Stitch pocket edges together. Baste pocket pieces to wrong side of front trouser pieces, first trimming away allowance of right pocket piece at centre front. .

Step 6 — Side Seams

Stitch side seams and inside leg -seams. Stitch centre front seam from slit mark to inside leg seam.

Step 7 — Zip opening

Press self-facings on edges of openings to inside. Stitch on the right along centre front and topstitch on the left 5 mm (3/16 in) before centre front. Stitch zip under left edge of opening (underlap), stitching close to teeth of zip. Pin opening closed, match topstitching centres. Pin free zip tape to right facing, not catching skirt panel. Baste facing in place. Topstitch opening from upper edge to 3 cm (1 1/4 ins) before end, as topstitching marked. Fold underlap piece lengthwise, right side facing in. Stitch across bottom end. Turn right side out. Lay underlap under left edge of opening and pin to facing. Stitch facing to underlap, close to zip joining seam. Lay opening closed again and topstitch to the end, catching underlap.

Step 8 — Waistband and centre back seam

Stitch side seams on waistband pieces. Stitch outer waistband pieces to upper edges of trousers, leaving right end of waistband extending from centre front. Stitch left end of waistband to underlap of opening edge. Press allowances of joining seams onto waistband pieces. Lay inside waistband pieces right sides together with attached outer waistband pieces and pin upper edges together. Lay seam allowances on bottom edge of overlap down again. Stitch along bottom edge of overlap, front ends of waistband, and upper edge of inside waistband. Trim seam allowances, trimming corners diagonally. Turn waistband pieces right side out. Lay inside waistband pieces in back up again and press seam allowances at upper edge of waistband open, about 10 cm (4 ins) long. Stitch centre back seam. Press allowances of centre seam open from upper edge to beginning of curve. Do not press allowances flat along curve. Turn in inside edge of front waistband and baste in place, about 5 cm (2 ins) long, then lay remaining edge flat over joining seam. Working from right side, stitch along line of joining seam, catching inner edge of waistband. Work buttonholes in right end of waistband as marked.

Step 9 — Turn-ups

Press trouser legs to inside on turn-up fold line. Machine -stitch or sew by hand. Turn up lower edges of trousers by 6 cm (2 3/8 ins) and press. Tack turn-ups to seams with a few stitches, by hand.

BurdaStyle

04/2010 Wide Legged Pants