

3/2011 Wide-legged trousers

By: burda style magazine

<http://www.burdastyle.com/projects/32011-wide-legged-trousers>



Wide-legged trousers burda style magazine patterns FAQ

Materials

Wool twill

Step 1 — Preparation


Trace the pattern pieces from the pattern sheet. Note lines and details for views A and B. Glue pieces 21 and 21a and pieces 22 and 22a together on the joining lines.

The binding joining lines on pieces 21 and 22 are marked in full on the pattern for size 36 only. For sizes 38 — 44, complete the pocket lines accordingly.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in). Hem allowance and turn-ups (view B) are already included on pattern pieces.

Step 2 — Cutting Out



Top fabric:

21 front trouser piece 2x

22 back trouser piece 2x

23 pocket piece 2x

a) waistband, 78 — 82 — 86 — 90 — 94 cm (30³/₄ — 32¹/₂ — 34 — 35¹/₂ — 37 ins) long, 8 cm (3¹/₄ ins) wide, finished width 4 cm (1⁵/₈ ins),

b) 4 bias binding strips (front pockets), 16 cm (6³/₈ ins) long, 4 cm (1⁵/₈ ins) wide (incl. allowances),

c) 2 bias binding strips (back pockets), 13 cm (5¹/₄ ins) long, 4 cm (1⁵/₈ ins) wide (incl. allowances),

d) pocket piece (back pocket), 13 cm (5¹/₄ ins) wide, 14 cm (5¹/₂ ins) long (incl. allowances).

Lining: piece 23 to lining line and -piece d.

Interfacing: See pattern layout. Iron strips of interfacing, about 4 cm (1⁵/₈ ins) wide, to wrong side of fabric,

over pocket markings.

Step 3 — Creases

Fold front trouser pieces lengthwise, with wrong side facing. Press creases

Step 4 — Back darts

Stitch back darts and press toward centre back.

Step 5 — Sew bound pockets on front -trouser pieces

Handbaste abutting lines for binding, 7 mm (1/4 in) from binding joining lines (= finished width of binding) to make these lines visible on right fabric side. Fold binding strips lengthwise, right side facing out, and press. Lay folded binding strips on front trouser pieces and pin so that fold edges of binding meet abutting lines. Stitch each binding strip in place, along joining line, stitching 7 mm (1/4 in) from fold edge. Slash between lines of stitching and clip diagonally toward each last stitch, not cutting into binding. Turn bindings toward pocket openings and press. Fold small fabric triangles on pocket opening edges to inside and stitch to binding, from seam end to seam end. Stitch pocket lining pieces to seam allowances of front binding joining seams, between seam marks, then press forward. Lay pocket pieces of outer fabric on pocket lining pieces, from inside, so that marked side edge of pocket lies on side seam line of trousers (seam number 1). Pin pocket pieces together and pin to side bindings. Working from right side, turn side edges of trousers back and stitch seam allowances of side binding to fabric pocket pieces, close to joining seam. Stitch pocket pieces together.

Step 6 — Sew bound pocket on right back trouser piece

Hand-baste abutting lines for binding, 7 mm (1/4 in) from binding joining lines (= finished width of binding) to make these lines visible on right fabric side. Fold binding strips lengthwise, right side facing out, and press. Lay folded binding strips on back trouser piece and pin so that fold edges of binding meet abutting lines. Stitch each binding strip in place, along joining line, stitching 7 mm (1/4 in) from fold edge. Slash between lines of stitching and clip diagonally toward each last stitch, not cutting into binding. Lay binding toward pocket opening and press. Fold small fabric triangles at pocket opening edges to inside and stitch to binding, from seam end to seam end. Stitch pocket lining piece to seam allowances of lower binding joining seam and stitch pocket piece of outer fabric to seam allowances of upper binding joining seam. Press pocket pieces down, trim even, and stitch together.

Step 7 — Stitch right side seam and inside leg seams

Stitch right side seam and inside leg seams. Press seam allowances open. Pull one trouser leg over the other, right sides facing. Stitch front and back centre seam as continuous seam. Press seam allowances open from upper edges to beginnings of curve. Do not press seam allowances flat along curve.

Step 8 — Waistband

Fold waistband in half lengthwise, wrong side facing in, and press. Unfold waistband again. Stitch waistband to upper edge of trousers. Press seam allowances onto waistband.

Step 9 — Zipper

Sew invisible zip to edges of left side slit, from upper edge of waistband (pressed fold) to slit mark. Stitch left side seam from lower edge to zip.

Step 10 — Fold waistband to inside again and sew to zip tapes

Fold waistband to inside again and sew to zip tapes. Baste inside edge of waistband in place. Work from right side of garment to stitch along line of waistband joining seam, thereby catching inner edge of waistband.

Step 11 — Hems, creases

Press hem allowances to inside and sew in place by hand. Press creases in back trouser pieces. Press creases in hem edges of fronts.

BurdaStyle

3/2011 Wide-legged trousers