

02/2011 Safari Trousers

By: burda style magazine

<http://www.burdastyle.com/projects/022011-safari-trousers>



Safari Trousers burda style magazine patterns FAQ

Materials

stretch twill

Step 1 — Preparation

| Größen, Tailles, Sizes | | | | | | 2 | | 3 | | 4 | | |
|------------------------|-------------|------|-------------|------|-------------|------|--|-----|---|-----|---|-----|
| 1 | N | | L | | K | | Oberweite Tour de poitrine Bust | | Tailleweite Tour des taille Waist | | Hüftweite Tour des hanches Hip | |
| | 5'6" 168 cm | | 5'9" 176 cm | | 5'3" 160 cm | | ins | cm | ins | cm | ins | cm |
| | US | Eur. | US | Eur. | US | Eur. | | | | | | |
| | 6 | 32 | 6 | 64 | 6 | 16 | 30 | 76 | 23 | 58 | 32 ½ | 82 |
| | 8 | 34 | 8 | 68 | 8 | 17 | 31 ½ | 80 | 24 ½ | 62 | 34 | 86 |
| | 10 | 36 | 10 | 72 | 10 | 18 | 33 | 84 | 26 | 66 | 35 ½ | 90 |
| | 12 | 38 | 12 | 76 | 12 | 19 | 34 ¾ | 88 | 27 ¾ | 70 | 37 | 94 |
| | 14 | 40 | 14 | 80 | 14 | 20 | 36 ¾ | 92 | 29 ¾ | 74 | 38 ¾ | 98 |
| | 16 | 42 | 16 | 84 | 16 | 21 | 37 ¾ | 96 | 30 ¾ | 78 | 40 ¾ | 102 |
| | 18 | 44 | 18 | 88 | 18 | 22 | 39 ½ | 100 | 32 ½ | 82 | 41 ¾ | 106 |
| | 20 | 46 | 20 | 92 | 20 | 23 | 41 | 104 | 34 | 86 | 43 ½ | 110 |
| | 22 | 48 | 22 | 96 | 22 | 24 | 43 ½ | 110 | 36 ¾ | 92 | 45 ¾ | 116 |
| | 24 | 50 | 24 | 100 | 24 | 25 | 45 ¾ | 116 | 38 ¾ | 98 | 48 | 122 |
| | 26 | 52 | 26 | 104 | 26 | 26 | 48 | 122 | 41 | 104 | 50 ¾ | 128 |
| | 28 | 54 | 28 | 108 | 28 | 27 | 50 ½ | 128 | 43 ½ | 110 | 52 ¾ | 134 |
| | 30 | 56 | 30 | 112 | 30 | 28 | 52 ¾ | 134 | 45 ¾ | 116 | 55 ¾ | 140 |
| | 32 | 58 | 32 | 116 | 32 | 29 | 55 ¾ | 140 | 48 | 122 | 57 ¾ | 146 |
| | 34 | 60 | 34 | 120 | 34 | 30 | 57 ¾ | 146 | 50 ¾ | 128 | 60 | 152 |


Trace the pattern pieces from the pattern sheet. Follow lines and details for style 123. Lengthen pieces 21 and 22 as indicated. Trace the smaller pocket piece marked on piece 25 as a separate pattern piece.

The stitching line at the zip slit is \hat{A} -marked for size 36. For sizes 38 \hat{A} — 44, mark the stitch \hat{A} -ing line the same distance from centre front as for size 36, noting length of opening. Pocket lines on piece 22 are marked for size 36 only. For the other sizes, complete the marking accord \hat{A} -ingly.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), hem 4 cm (15/8 ins).

Step 2 — Cutting out



21 front trouser piece 2x

22 back trouser piece 2x

23 front waistband 4x

24 back waistband 4x

25 large pocket piece 2x

25 small pocket piece 2x

a) left underlap piece, 13 cm — 13 cm — 13 cm — 15 cm — 15 cm (5 1/4 in — 5 1/4 in — 5 1/4 in — 6 in — 6 in) long, 7 cm (2 3/4 in) wide, finished width 3.5 cm (1 3/8 in),

b) 2 welt strips (front pockets), 18 cm (7 in) long, 4 cm (1 5/8 in) wide (incl. allowance),

c) 1 welt strip (back pocket), 14 cm (5 1/2 in) long, 4 cm (1 5/8 in) wide (incl. allowance),

d) strip for 5 belt carriers, 45 cm (17 3/4 in) long, 4 cm (1 5/8 in) wide (incl. allowance),

e) 2 pocket pieces (back pocket), 14 cm (5 1/2 in) wide, 13 cm (5 1/4 in) long (incl. allowance).

26 flap 4x

Interfacing: (A, B) See pattern layout. Iron strips of interfacing, about 3 cm (1 1/4 in) wide, to wrong sides of front and back trouser pieces, over pocket markings.

Step 3 — Flaps

Stitch each interfaced flap piece to flap piece with no interfacing, along outer edges, right sides together. Turn right side out. Topstitch flaps close to edges and 7 mm (1/4 in) from edges.

Step 4 — Welt pocket

Sew single welt pockets on fronts: Mark an abutting line for each welt, 7 mm (1/4 in) from welt joining line (= finished width of welt). Fold welt strips lengthwise, right side facing out, and press. Baste folded welt strips in place, at each welt joining line, so that fold edge of welt meets abutting line and open long edges lie between pocket lines. Stitch welts in place along welt joining lines. Stitch fabric pocket pieces in place along pocket piece joining lines. Slash between lines of stitching and clip diagonally toward ends of seams, not catching welts or pocket pieces. Lay welts into pocket openings and pull pocket pieces to inside. Stitch pocket lining pieces to seam allowances of welt joining seams. Fold small triangles at pocket opening ends to inside and stitch to welts and pocket pieces, from seam end to seam end. Trim pocket pieces even and stitch together. Mark an abutting line for welt 1 cm (3/8 in) from welt joining line. Use the fabric pocket piece instead of the pocket lining piece. Catch flaps when stitching larger pocket pieces in place.

Step 5 — Topstitch

Topstitch close to side seams, pockets and waistband. Stitch hems 3.5 cm (1 1/2 ins) wide.

Step 6 — Leg seams

Stitch side seams and inside leg seams. Stitch centre front seam from slit mark to inside leg seam.

Step 7 — Zip slit

Press self-facings on slit edges to inside. Stitch along centre front on the right and 5 mm (3/16 in) before centre front on the left. Stitch zip under left slit edge (underlap), stitching close to teeth of zip. Pin slit closed, matching centres. Stitch loose zip tape to right facing, not catching shorts piece. Baste facing in place. Topstitch slit as marked from upper edge to 3 cm (1 1/4 ins) before end. Fold underlap piece lengthwise, right side facing in, and stitch across bottom end. Turn right side out. Lay underlap under left slit edge and pin to facing. Stitch facing to underlap, close to zip joining seam. Lay slit closed again and topstitch to the end, catching underlap.

Step 8 — Belt carriers

Fold strip for belt carriers lengthwise, right side facing in. Stitch 1 cm (3/8 in) from fold edge. Turn right side out. Topstitch close to edge. Cut into 5 pieces. Baste belt carriers to upper edge of shorts, placing one in centre of each front piece and next to each dart on shorts backs.

Step 9 — Waistband and centre back seam

Stitch side seams of waistband pieces. Stitch outer waistband units to upper edges of shorts, leaving right end of waistband extending from centre front. Stitch left end of waistband to underlap of opening edge. Press allowances of joining seams toward waistband. Lay inside waistband units right sides together with attached waistband units. Stitch upper edges together. Lay inside waistband units up. Press seams open. Stitch centre back seam. Press seam allowances open, from upper edge to beginning of curve. Trim extending right end of waistband to 1 cm (3/8 in) before centre front. Attach trousers hook to inside waistband, 1 cm (3/8 in) from right front end. Lay inside waistband to outside and stitch across front ends of waistband. Trim allowances. Turn waistband right side out. Turn in inside edge of waistband, about 3 cm (1 1/4 ins) long, and baste, then lay remaining waistband flat over joining seam (not turned in). Work from right side of garment

to stitch along joining seam, catching inside edge of waistband. Attach bar of fastener to waistband, to match hook.

Step 10 — Belt carriers

Stitch across belt carriers, 1 cm (3/8 in) below waistband joining seam. Turn belt carriers up, turn ends in, and stitch to upper edge of waistband. Sew remaining belt carrier in place, over centre back seam.

Step 11 — Hem allowance

Press hem allowances to inside and sew in place by hand.

Step 12 — Topstitch

Topstitch close to side seams, pockets and waistband. Stitch hems 3.5 cm (1 1/2 ins) wide.

BurdaStyle

02/2011 Safari Trousers