


burda style magazine 02/2010 Stretch Trousers

By: burda style magazine

<http://www.burdastyle.com/projects/burda-style-magazine-022010-9>




Stretch Trousers. For more information on this and other burda style magazine patterns, please see this dedicated blog post.

Materials

Crosswise stretch cotton gabardine

Step 1 — Preparation




135 A 44-52

Trace the pattern pieces from the pattern sheet. Follow lines and details for view C. Stick pieces 1 and 1a and 4 and 4a together on the joining lines.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), hem for view C 4 cm (15/8 ins).

Step 2 — Cutting Out



- 1 front trouser piece 2x
- 2 pocket piece 2x
- 3 side hip yoke with integrated pocket piece 2x
- 4 back trouser piece 2x
- 5 front waistband, on a fold 2x
- 6 back waistband, on a fold 2x

Interfacing: See pattern layout. Iron strips of interfacing onto pocket opening edges of front trouser pieces, 3 cm (1 1/4 ins) wide.

Step 3 — Darts

Stitch darts and press to centre.

Step 4 — Front Trouser Pieces

Fold front trouser pieces lengthwise, wrong side facing in.

Step 5 — Hip Yoke Pockets

Stitch pocket pieces right sides together with pocket opening edges of front trouser pieces. Lay pocket pieces up and stitch to seam allowances close to seam. Turn pocket pieces to inside. Work buttonholes. Pin pocket opening edges to side hip yokes at placement lines. Stitch pocket pieces together. Baste side edges of pocket

pieces to wrong side of front trouser pieces.

Step 6 — Seams and Pocket Pieces

Stitch right side seam. Stitch inside leg seams. Press seam allowances open. Stitch front and back centre seams as continuous seam. Press seam allowances open, from upper edges to beginning of curve. Stitch front edges of pocket pieces right sides together (centre seam). Press seams open. Baste upper edge of pocket pieces in place.

Step 7 — Waistband

Stitch right side seam on waistband pieces (inside and outside waistband as opposites). Stitch outer waistband piece to upper edge of trousers. Press seam allowances of joining seam onto waistband.

Step 8 — Zipper

Sew invisible zip to left side edges of trouser pieces and waistband. Stitch left side seam to zip.

Step 9 — Waistband, Zip Opening, and Joining Seam

Lay inside waistband piece right sides together with stitched outer waistband piece. Pin upper edges together. Turn ends of inside waistband piece back at zip opening, 5 mm (3/16 in) before edge, and pin to upper edge. Lay allowances of outer waistband piece at edges of opening outward and pin to upper edge, over inside waistband piece. Stitch along upper edge. Turn allowances at edges of opening and inside waistband piece to inside. Lay inside edge of waistband flat over joining seam and baste in place. Sew inside waistband piece to zip tapes. Topstitch waistband close to joining seam and upper edge.

Step 10 — Pocket Opening Edges

Topstitch pocket opening edges 2 cm (3/4 in) wide.

Step 11 — Hem Allowances

Press hem allowances to inside and sew in place by hand.

BurdaStyle

burda style magazine 02/2010 Stretch Trousers