

# burda style magazine 02/2010 Long Skirt

By: burda style magazine

<http://www.burdastyle.com/projects/burda-style-magazine-022010-1>

---


Long Skirt For more information on this and other burda style magazine patterns, please see this dedicated blog post.

## Materials

Voile

---

## Step 1 — Preparation



103 A 36-44

Trace the pattern pieces from the pattern sheet. Follow lines and details for views A and B. Glue pieces 1, 1a and 1b together on the joining lines.


Lengthen piece 2 as indicated. Join the end points. Measure 6 cm ( $2\frac{3}{8}$  ins) down from the centre of the straight edge for the curve of the hem. Mark the hem line in a  $\hat{A}$ -curve.

Seam and hem allowances:

Seams, edges and hem 1.5 cm ( $\frac{5}{8}$  in).

---

## Step 2 — Cutting Out



1 front skirt panel 2x

2 back skirt panel, on a fold 2x

3 pocket piece 4x

a) waistband with 3 cm (1 1/4 in) underlap, 71 â— 75 â— 79 â— 83 â— 87 cm (28 â— 29 3/4 â— 31 1/4 â— 32 3/4 â— 34 1/4 ins) long, 6 cm (2 1/2 ins) wide, finished width 3 cm (1 1/4 ins).

Interfacing: Iron on skirt waistband.

---

## Step 3 — Right Pocket in Side Seam

Stitch right side seam on outer skirt panels below pocket opening. Pin pocket pieces, right sides together with seam allowances of pocket opening edge from the inside and stitch on directly along marked seam lines.

Stitch pocket pieces close to seam below pocket opening. Press pocket pieces forward and stitch together.

Baste upper edges of pocket pieces.

---

## Step 4 — Left Pocket in Side Seam and Zip

Pin one pocket piece right sides together with left pocket opening edge of front skirt panel, stitch from upper edge to marking. Clip seam allowances at marking. Turn pocket piece to inside. Press pocket opening edge.

Lay other pocket piece right sides together with stitched pocket piece. Stitch lower and front edges of pocket pieces together. Baste pocket pieces to left side seam edge at upper edge of skirt panel and below pocket

opening. Sew invisible zip to left opening edges. Stitch left side seam from lower edge to zip.

---

## **Step 5 — Lining**

Stitch side seams of skirt lining, leaving opening for zip 2 cm (3/4 in) longer than on skirt. Press allowances at opening edges to wrong fabric side, 5 mm (3/16 in) before marked seam line, tapering toward side seam at bottom of opening. Stitch allowances. Place lining inside skirt with right side facing wrong side, baste upper edges together. Sew lining to zip tapes.

---

## **Step 6 — Pleats**

Fold pleats in skirt panels in arrow direction and baste. For the large pleat, fold front skirt panel on pleat fold line wrong side facing in. Place fold at abutting line and pin. Baste fold at upper edge of skirt panel.

---

## **Step 7 — Waistband**

Stitch waistband to upper edge of skirt, leaving overlap extending at back opening edge. Press seam allowances of joining seam and at other long edge of waistband onto waistband. Fold waistband lengthwise, stitch across ends. Turn right side out. Sew on inside edge by hand, sew edges of underlap together. Topstitch waistband close to joining seam. Work buttonhole in front end of waistband.

---

## **Step 8 — Hem Allowance**

Press hem allowances to inside, turn in and stitch.

---

**BurdaStyle**

burda style magazine 02/2010 Long Skirt