

Cropped, Collarless Jacket 02/2010

By: burda style magazine


<http://www.burdastyle.com/projects/cropped-collarless-jacket-0220>

Cropped, Collarless Jacket

Materials

Boucl

Step 1 — Preparation



108 17-21

*PATTERN DOES NOT INCLUDE SEAM ALLOWANCE

Trace the pattern pieces from the pattern sheet. Follow lines and details for style 108.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), hem and sleeve hems 4 cm (15/8 ins), lining 1.5 cm (5/8 in).

Step 2 — Cutting Out



Boucl:

- 1 front 2x
- 2 centre back 2x
- 3 side back 2x
- 4 front sleeve 2x
- 5 back sleeve 2x
- 6 back neck facing,, on a fold 1x

- a) 4 welts, 11 cm (43/8 ins) long, 6 cm (21/2 ins) wide, finished width 3 cm (11/4 ins),
- b) 4 pocket pieces, 13 cm (51/4 ins) wide, 10 cm (4 ins) long (incl. allowance),
- c) left fastening underlap, 19 cm (71/2 ins) long, 8 cm (31/4 ins) wide, finished width 4 cm (15/8 ins).

Lining: piece 1 minus width of facing; piece 2 minus neck facing and at centre back with an ease pleat of about 2 cm (3/4 in); and also pieces 3, 4, 5 and b.

Interfacing: See pattern layout. Also interface hem allowances.

Step 3 — Darts

Clip darts in fronts, along centre between marked lines, to about 4 cm (15/8 ins) before point. Trim darts to a width of 1 cm (3/8 in).

Step 4 — Welt Pockets

Construct welt pockets on fronts: Fold welts lengthwise, right side facing in. Stitch across one end of each. Leave front end open to be caught in at the dart seam. Turn welts. Pin petersham ribbon to welts 1 cm (3/8 in) next to fold edge, turn in side end. Stitch ribbon close to edges. Sew on looped trim above and below petersham ribbon, turning side end in. Stitch welts to fronts along marked joining line with right sides facing. Lay fabric pocket pieces on fronts opposite welts and stitch exactly in 1.5 cm (5/8 in) next to welt joining seam. These seams should be about 5 mm (3/16 in) shorter at the side ends than the welt joining seams. Slash between both lines of stitching, clipping diagonally toward side ends of seams. Do not cut into pocket pieces. Pull pocket pieces to inside, press welts over pocket openings. Stitch pocket lining pieces to seam allowances of welt joining seams from the inside. Fold small triangles at pocket opening ends to inside and sew to pocket pieces. Trim pocket pieces even and stitch together. Baste front ends of welts and front edges of pocket pieces. Sew side ends of welts on by hand.

Step 5 — Stitching Darts

Stitch darts, press toward centre front.

Step 6 — Seams

Stitch centre back seam, back section seams, side seams and shoulder seams. Press seam allowances open

Step 7 — Underlap

Fold underlap piece lengthwise, right side facing in. Stitch across ends. Turn underlap and press. Neaten lengthwise edges together. Lay underlap on self-facing of left front below marking so that fold edge lies on garment piece 1.5 cm (5/8 in) next to centre front. Stitch underlap along centre front and on facing.

Step 8 — Self-facings

Unfold front self-facings, stitch on back facing. Stitch facing right sides together with neck edge. Trim seam allowances. Turn facing to inside, press edges. Fastening underlap extends at left front edge.

Step 9 — Hem

Unfold facings at hem. Press hem allowance to inside but do not yet sew.

Step 10 — Sleeves

Stitch sleeve seams. Press sleeve hem allowances to inside and sew by hand. Stitch petersham ribbon to sleeves 1 cm (3/8 in) above lower edge. Turn in ends of ribbto underneath sleeve seams. Sew looped trim on by hand above and below petersham ribbon.

Step 11 — Petersham ribbon and shoulder pads

Set in sleeves eased to fit. Stitch petersham ribbon to jacket directly next to sleeve inset seams, turn in ends of ribbto side seams. Sew in shoulder pads.

Step 12 — Lining

Stitch allowances of centre seam on back lining together 1 cm (3/8 in) wide. Line jacket and hem, see style 128.

Step 13 — Finishing Petersham Ribbon

Stitch petersham ribbon to jacket along right front edge and back neck edge, turn in ends of ribbon. Form a bow with a 12 cm (4 3/4 in) long piece of petersham ribbon, sew ends to-gether in centre of bow. Lay a 2 cm (3/4 in) long piece of petersham ribbon around middle of bow, sew on in back. Sew bow to centre back of neckline. Sew looped trim to right front next to petersham ribbon and go on along edge of neckline as far as shoulder seam. Sew looped trim on left front along front edge and edge of neckline.

Step 14 — Snaps

Sew top halves of snaps on underside of right front as marked. Sew bottom halves of snaps to fastening underlap piece.

BurdaStyle

Cropped, Collarless Jacket 02/2010