

5/2010 Stretch Drawstring Shorts

By: burda style magazine


<http://www.burdastyle.com/projects/52010-stretch-drawstring-shorts>

Stretch Drawstring Shorts burda style magazine patterns FAQ

Materials

Stretch poplin

Step 1 — Preparation



121 A 34-42


Trace pattern pieces from pattern sheet.

The fold lines and stitching lines for the elastic casing on pieces 21 and 22 are marked on the pattern for size 34 only. For sizes 36 — 42, remark the lines according to the size lines. The eyelet on piece 21 is marked for size 34. Remark the eyelet for the other sizes accordingly.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in).

Step 2 — Cutting Out



21 front trouser piece 2x

22 back trouser piece 2x

a) 2 tie bands, 30 cm (12 ins) long, 3 cm (1 1/4 ins) wide (incl. allowance),

b) 2 bias binding strips for hem edges, 65 — 68 — 70 — 73 — 75 cm (25 3/4 — 26 3/4 — 27 3/4 — 28 3/4 — 29 3/4 ins) long, 5 cm (2 ins) wide (incl. allowance).

Step 3 — Seams

Stitch side seams above slit marks. Press seam allowances open. Stitch inside leg seams.

Step 4 — Binding strip and bias strips

Trim away seam allowances on lower edges of trouser legs and clip diagonally toward edge of allowance, about 1 cm (3/8 in) below slit mark. Fold binding strip in half lengthwise and press, right side facing out. Unfold strip out flat again. Now turn both lengthwise edges in to the pressed crease, one after the other, and press. Fold strip again. Lay pressed bias strips over hem edges and pin in place. Turn in ends of these binding strips at side seams. Baste then edgestitch binding in place.

Step 5 — Trouser legs

Place one trouser leg inside the other, with right sides facing. Stitch front and back centre seam as continuous seam. Press seam allowances open from upper edges to beginnings of curve. Do not press allowances flat along curve.

Step 6 — Eyelets

Insert eyelets in upper edge of trousers, first ironing small pieces of inter-facing to wrong side for reinforcement.

Step 7 — Tie bands

Fold tie bands lengthwise, right side facing in. Stitch 7 mm (1/4 in) from fold edge. Trim seam allowances. Turn tie bands right side out and press.

Step 8 — Upper edge of trousers

Turn allowance on upper edge of trousers to inside on fold line, turn in to 4.2 cm (a good 15/8 ins) wide, and press. Top-stitch 4 cm (15/8 ins) from upper edge of trousers, from marked ends of elastic, to form casing. Do not yet topstitch in front between markings. Stitch tie bands to ends of elastic and pull into casing. Stitch ends of elastic in place, as marked for a finished length of 57 — 61 — 65 — 69 — 73 cm (22 1/2 — 24 — 25 3/4 — 27 1/4 — 38 3/4 ins). Run tie bands out through eyelets. Slip cord stoppers over ends of tie bands. Knot ends of tie bands. Top-stitch 4 cm (1 5/8 ins) from upper edge of trousers, between ends of -casing.

BurdaStyle

5/2010 Stretch Drawstring Shorts