

07/2010 Wrap trousers with leg band

By: burda style magazine

<http://www.burdastyle.com/projects/072010-wrap-trousers-with-leg>

Wrap trousers with leg band


Step 1 — Preparation

Trace pattern pieces from the pattern sheet. Trace pieces 1 and 2 twice from the pattern sheet — once to line marked — right edge— and once to line marked — left edge—. The buttonholes on piece 5 are marked for size 34. Remark the other buttonholes according to the size lines.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), leg bands for 1 cm (3/8 in).

Step 2 — Cutting out



Jersey:

1 right front trouser piece 1x

1 left front trouser piece 1x

2 right back trouser piece 1x

2 left back trouser piece 1x

3 front waistband, on a fold 2x

4 back waistband, on a fold 2x

5 left waistband 4x

a) 4 belt carriers, a total of 50 cm (20 ins) long, 2.5 cm (1 in) wide (incl. allowance).

Rib knit band: 2 leg bands, 25.5 — 27 — 28 — 29.5 — 31 — 32.5 cm (10 — 10 3/4 — 11 1/8 — 11 3/4 — 12 1/4 — 12 7/8 ins) long, 5 cm (2 ins) wide, finished width 2.5 cm (1 in).

Interfacing: See pattern layout. Interface outer waistband pieces.

Step 3 — Back and side seams

Stitch front and back centre seam. Stitch right side seam. Trim seam allowances, neaten together, and press to one side.

Step 4 — Belt carriers

Neaten lengthwise edges of strip for belt carriers and press to wrong side, 7 mm (1/4 in) wide. Work from right fabric side to topstitch along middle of strip with the twin needle. Cut strip into 4 equal pieces. Baste belt carriers to upper back edge of trousers, 9 cm (3 1/2 ins) to each side of centre back seam, and 5 cm (2 ins) and 20 cm (8 ins) from left side seam marking.

Step 5 — Waistband

Lay front and back waistband pieces right sides together and stitch right side seam, stitching seam on inside waistband as mirror image. Stitch straight end of each left waistband piece to left edge of front and back waistband pieces. Press seam allowances open. Stitch outer waistband piece to upper edge of trousers. Press seam allowances of joining seam onto waistband.

Step 6 — Side seam and waistband

Stitch left side seam, also stitching ends of waistband together. Stitch left side seam of inside waistband unit. Press seam allowances open.

Step 7 — Leg seams

Stitch inside leg seams as continuous seams.

Step 8 — Waistband and buttonhole

Lay inside waistband unit right sides together with attached outer waistband unit. Stitch upper edges together. Turn waistband right side out. Baste inside edge in place. Topstitch waistband close to joining seam and upper edge. Lay front and back left waistband together. Work side buttonhole (next to diagonal waistband seam) in doubled waistband as marked. Work other buttonhole in left front waistband piece, next to front waistband seam. Sew button to inside back waistband to match this buttonhole. Lay left waistband

forward and sew button to right front waistband, to match side buttonhole.

Step 9 — Leg bands

Stitch leg band seams. Stitch leg bands to lower edges of trouser pieces. Press seams open. Fold leg bands in half and press, wrong side facing in. Work from outside of garment to topstitch over leg band joining seam with the twin machine needle.

BurdaStyle

07/2010 Wrap trousers with leg band