

10/2010 Double-breasted waistcoat

By: burda style magazine

<http://www.burdastyle.com/projects/102010-double-breasted-waistcoat>



Double-breasted waistcoat burda style magazine patterns FAQ

Materials

Velvet

Step 1 — Preparation

Trace the pattern pieces from the pattern sheet. Trace facing from piece 1 as a separate pattern piece. The buttonholes and buttons marked on piece 1 are for size 17. For sizes 18 — 21, mark the top buttonhole the same distance from neck edge as for size 17. The bottom buttonhole is the same for all sizes. Space the other buttonholes evenly in between. Remark the buttons to match.

Seam and hem allowances:

Seams and edges 1.5 cm (5/8 in), hem 4 cm (1 5/8 ins), lining 1.5 cm (5/8 in).

Step 2 — Cutting Out



Velvet:

1 centre front 2x

front facing 2x

2 side front 2x

3 back yoke, on a fold 1x

4 back, on a fold 1x

5 standing collar, on a fold 2x

a) 2 tie bands, each 42 cm (16 1/2 ins) long, 4 cm wide (1 1/2 ins), finished width 2 cm (3/4 in).

Lining: piece 1 minus width of facing, pieces 2, 3 and 4. Cut from a double layer of fabric, right side facing in. Note direction of nap on velvet.

Interfacing: See pattern layout. Interface inside standing collar piece. Iron Vilene Bias Tape/stay tape to armhole edges of lining pieces.

Step 3 — Stitch side fronts to centre front pieces

Stitch side fronts to centre front pieces. Press seam allowances open.

Step 4 — Darts

Stitch darts in back piece and press to centre. Stitch back yoke to back. Press seam allowances open.

Step 5 — Shoulder seams and collar

Stitch shoulder seams. Lay collar pieces right sides together and stitch along front and upper edges. Trim seam allowances. Turn collar right side out and press. Baste edges of collar together to neck edge, from centre front.

Step 6 — Lining

Stitch centre front lining pieces to front facings and stitch side front lining pieces to centre front lining pieces. Stitch darts in lining back. Stitch yoke lining to lining back. Stitch shoulder seams.

Step 7 — Pin facings and lining right sides together with waistcoat

Pin facings and lining right sides together with waistcoat. Stitch along front edges, neck edge, and armhole edges. Trim seam allowances, trimming corners diagonally. Clip curves. Turn waistcoat right side out by pulling fronts into back through tunnels at shoulders. Press edges.

Step 8 — Tie bands

Fold each tie band lengthwise, right side facing in. Stitch along lengthwise edge and across one end. Trim seam allowances. Turn tie bands right side out and press.

Step 9 — Basting tie bands, side seams of waistcoat and lining

Baste tie bands to side seam edges of back, between markings, not catching lining. Lay fronts on back, right sides together, laying lining up. Stitch side seams of waistcoat and lining as continuous seams. Lay lining down again.

Step 10 — Hem allowance

Press hem allowance to inside and sew in place by hand. Turn in lining along lower edge of waistcoat. Press fold edge lightly, push upward in a shallow curve, and pin to hem allowance. Sew facings and lining in place. Lay extra length of lining down and press lightly.

BurdaStyle

10/2010 Double-breasted waistcoat