

10/2011 Stretch Pants with Stirrups

By: burda style magazine

<http://www.burdastyle.com/projects/102011-stretch-pants-with-stirrups>



Trousers with elastic stirrups : burda style magazine patterns FAQ

Materials

Fine corduroy with crosswise stretch


Step 1 — Preparation



This pattern is printed on 8.5 × 11 sheets of plain paper. Do not scale or center pages before printing. Wait until all sheets are printed out before beginning to tape them together. **Do not cut out pattern pieces yet**— Arrange the sheets on a large, hard, flat surface so that they fit together, matching up like numbers and letters (i.e. 6A to 6A). To tape pattern together, fold under the margin of one piece (6A) and tape right against the line of it's matching number/letter (6A).

burda style magazine pattern do not have seam allowance included.
Seam and hem allowances to be added: Seams and edges 1.5 cm (5/8 in).

Step 2 — Cutting out



1 centre front trouser piece 2x

2 side front trouser piece 2x

3 centre back trouser piece 2x

4 side back trouser piece 2x

a) left underlap piece, 19 cm (7 1/2 ins) long, 6 cm (2 1/2 ins) wide, finished width 3 cm (1 1/4 ins).

Interfacing: See pattern layout.

Step 3 — Darts

Stitch darts. Press toward centre.

Step 4 — Front and back

Stitch the front and back section seams, side seams and inside leg seams. Press the seam allowances open. Stitch the centre front seam, below the slit mark, and the centre back seam as continuous seam. In back, press allowances of centre seam open, from upper edge to beginning of curve. Do not press allowances flat along the curve

Step 5 — Zip opening and upper edge of trousers

On the left front trouser piece, press the self-facing on the opening edge to the inside, 5 mm (3/16 in) before centre front. Baste the zip under edge, close to teeth of zip — it begins on the facing fold line on upper edge of trousers. Fold the underlap piece lengthwise. Stitch across the top and bottom ends. Turn the

underlap right side out and press. Neaten the joining edges together. Lay underlap under left opening edge, below facing fold line, and pin in place. Topstitch close to left opening edge. Turn facing on upper edge of trousers to inside, along the fold line, and baste. Sew left narrow edge of facing in place. On right front trouser piece, press self-facing to inside, at centre front. Pin the slit closed, matching centre fronts. Stitch the loose zip tape to the right facing, turning in top end of tape and not catching the trouser piece. Baste the right slit facing in place and sew to upper edge. Topstitch right edge of slit as marked, up to 3 cm (1 1/4 ins) before end. Lay slit closed and topstitch to the end, catching the underlap.

Step 6 — Stirrups

Neaten seam allowances on lower edges of trouser legs. Cut two pieces of elastic, each 12 cm (4 3/4 in) long, for the stirrups. Stitch ends to straight lower edges of trouser legs. Press seam allowances up. Turn allowances on curved lower edges of trouser legs to inside and stitch 7 mm (1/4 in) from edges.

BurdaStyle

10/2011 Stretch Pants with Stirrups